



Appendix C. Figure Descriptions

Appendix C. Figure Descriptions

This appendix includes written descriptions of all figures included in this Technical Report. If needed, additional figure interpretation is available from the ODOT Senior Environmental Project Manager at (503) 731-4804.

Figure Number	Figure Title	Figure Description
1	Project Area	Figure 1 shows the Project Area. The Project Area includes a 1.7-mile segment of Interstate 5 (I-5), beginning north of Interstate 405 (I-405) at milepost 303.2, extending south to the Burnside Bridge just south of Interstate 84 (I-84) at milepost 301.5. The Project Area also includes the interchange of I-5 and N Broadway and NE Weidler Street (Broadway/Weidler interchange) and the surrounding transportation network, from approximately N/NE Hancock Street to the north, N Benton Avenue to the west, N/NE Multnomah Street to the south, and NE 2nd Avenue to the east. Figure 1 also shows the Willamette River to the west of the Project Area and the following four bridges (from north to south): Fremont Bridge, Broadway Bridge, Steel Bridge, and Burnside Bridge. The Project Area includes segments of both I-5 and I-84.
2	Auxiliary Lane/ Shoulder Improvements	Figure 2 shows the locations of the proposed auxiliary lanes and shoulder improvements on I-5. One new northbound (NB) auxiliary lane would be added to connect the I-84 westbound on-ramp to the N Greeley Avenue off-ramp. A new southbound (SB) auxiliary lane would extend the existing auxiliary lane that enters I-5 SB from the N Greeley on-ramp. The extent of proposed auxiliary lanes and shoulder improvements begin near where I-5 crosses over N Russell Street and extends south to I-84. Figure 2 also shows the Project Area.
3	I-5 Auxiliary (Ramp-to- Ramp) Lanes – Existing Conditions and Proposed Improvements	<p>Figure 3 shows the existing and proposed auxiliary lane configurations from the N Greeley on-ramp extending south to the SB Morrison Bridge off-ramp. Existing conditions are shown on the left and proposed improvements are shown on the right. Existing SB conditions include two SB lanes and three on-ramps (listed from north to south): N Greeley, I-405/N Fremont Street, and N Wheeler and three off-ramps (listed from north to south): N Broadway, I-84, and Morrison Bridge. There are existing auxiliary lanes between the N Greeley on-ramp extending to just south of the N Broadway off-ramp, the I-405/N Fremont on-ramp and N Broadway off-ramp, and N Wheeler on-ramp and I-84 off-ramp. Existing NB conditions include two NB lanes and two on-ramps (listed from south to north): I-84 and N Broadway and two off-ramps (listed from south to north): N Weidler, I-405/N Fremont, and N Greeley. There are existing auxiliary lanes between the I-84 on-ramp and N Weidler off-ramp and between the N Broadway on-ramp and I-405/N Fremont off-ramp.</p> <p>For proposed improvements, the on-ramps and off-ramps are the same as those shown for existing conditions, and all existing auxiliary lanes remain. There is one new SB proposed auxiliary lane that results in a continuous auxiliary lane from the N Greeley on-ramp extending south to the Morrison Bridge off-ramp. There is one NB proposed auxiliary lane that results in a continuous auxiliary lane from the I-84 on-ramp north to the N Greeley off-ramp. Two additional proposed NB auxiliary lane segments also extend the existing auxiliary lane between the I-84 on-ramp and N Weidler off-ramp.</p>

Figure Number	Figure Title	Figure Description
4	I-5 Cross Section (N/NE Weidler Overcrossing) – Existing Conditions and Proposed Improvements	Figure 4 shows a cross section comparison of existing and proposed conditions of I-5 south of the N/NE Weidler overcrossing within the Broadway/Weidler interchange area. Existing conditions are shown on the top and are the same for NB and SB traffic and include an inside and outside shoulder of varying width and two 12-foot lanes. Proposed lane configuration is shown below the existing conditions and is the same for NB and SB traffic and include an inside and outside shoulder, two through lanes, and one auxiliary lane. All shoulders and lanes are 12 feet wide.
5	Broadway/Weidler/Williams and Vancouver/Hancock Highway Covers	Figure 5 shows a rendering of the Broadway/Weidler/Williams and Vancouver/Hancock highway covers. The Broadway/Weidler/Williams cover appears as a green space that spans east-west across I-5, extending from immediately south of N/NE Weidler to immediately north of N/NE Broadway. The entire block between N/NE Weidler, NE Victoria Avenue, N/NE Broadway, and N Williams is all shown as a green space covering I-5. The Vancouver/Hancock cover is located farther to the north and appears as a smaller green space extending northwest and southeast from N Vancouver Avenue at its intersection with N/NE Hancock. Proposed bike lanes are also shown along N/NE Weidler, N Williams, N Vancouver, N/NE Broadway, and N/NE Hancock.
6	Broadway/Weidler Interchange Area Improvements	Figure 6 shows locations of improvements to the Broadway/Weidler interchange between I-5, the interchange, and the local street network. Improvements are labeled with letters A through H. The Broadway/Weidler/Williams cover spans east-west across I-5, extending from immediately south of N/NE Weidler to immediately north of N/NE Broadway. The Vancouver/Hancock cover is located farther to the north and appears as a smaller green space extending northwest and southeast from N Vancouver at its intersection with N/NE Hancock. Both covers are indicated by the letter “A.” Letter “B” is located near the bottom of the figure and shows how the I-5 SB on-ramp would be relocated by having it begin one block farther north at N/NE Weidler instead of N Ramsay Way, where the existing ramp begins. Letter “C” located near the middle of the figure shows the segment of N Williams between N Ramsay and N Weidler that would be closed to private motor vehicles. Letter “D” located near the middle of the figure shows the location of where traffic flow on N Williams between N/NE Weidler and N/NE Broadway would be converted to a reverse traffic flow two-way street with a 36-foot-wide median. Letter “E” shows the location of the proposed Hancock-Dixon crossing that extends from the intersection of N Dixon and N Wheeler east to N Williams and N/NE Hancock. Letter “G” indicates the location where N Flint Avenue would be removed beginning at N Tillamook Street and extending south to N Broadway. Letter “H” shows the location of the proposed Clackamas bicycle and pedestrian bridge, located south of N/NE Weidler to connect NE Clackamas Street with N Williams. The Project Area boundary and proposed auxiliary lanes and shoulders are also shown on the figure.
7	Conceptual Illustration of Proposed N Williams Multi-Use Path and Revised Traffic Flow	Figure 7 shows a rendering of the proposed N Williams multi-use path and reverse traffic flow. The foreground in the bottom half of the rendering shows the multi-use path as an extension of the sidewalk to the west (left) of N Williams. The top half of the rendering shows two SB traffic lanes to the east (right) of the multi-use path/median and two NB traffic lanes to the west (left) of the multi-use path/median. The Broadway/Weidler/Williams cover is shown as green space to the east (right) of N Williams SB traffic lanes.
8	Clackamas Bicycle and Pedestrian Crossing	Figure 8 shows a rendering of the Clackamas bicycle and pedestrian crossing. The crossing is shown as a curved elevated path crossing I-5, connecting NE Clackamas on the east side of I-5 to N Williams on the west side of I-5. Green bicycle lanes are also shown on either side of N Williams, located just west of I-5.

Figure Number	Figure Title	Figure Description
9	Transportation Area of Potential Impact	Figure 9 shows the Project Area boundary (as shown in Figure 1) and the Area of Potential Impact (API) boundary for the transportation access study. The API includes the entire Project Area and an additional portion of N Broadway on the west. The Project Area extends west on N Broadway to N Benton. The API extends west on N Broadway to N Larrabee Street, which is west of N Benton.
10	Existing Access Locations within the Project API	Figure 10 shows access locations within the API boundary. There are 132 access points comprising 37 intersection access points and 95 driveways. Sixty percent of the access points are located on N/NE Weidler and N/NE Broadway. From north to south, there are small clusters of access points on N Russell and on NE Tillamook. Access points are located on N Williams and N Victoria from Broadway to NE Hancock and south on N Flint and N Vancouver from Weidler to N Ramsay Way. There is a small cluster of access points on NE 2nd, just north of NE Clackamas. Points extend south along both sides of I-5 from around NE Multnomah to around NE Irving. The southernmost group is distributed near the approaches of the NE Martin Luther King Jr. Boulevard and NE Grand overpasses at I-84.
11	Driveways Modified or Closed	Figure 11 shows the API boundary from N Page Street in the north to NE Multnomah in the south. The figure shows the locations of 13 driveways that will be closed and 5 that will be modified. All the closed driveway locations and two modified driveways are grouped around N/NE Weidler and N/NE Broadway from N Vancouver on the west to NE Victoria on the east. Two other modified driveways are on N Hancock (north of I-5 between N Vancouver and N Williams). The one remaining modified driveway is on N Ramsay, east of N Center Court Street (just north of the Moda Center).

